

GARAGE DOORS

RESIDENTIAL PRODUCT GUIDE

QUALITY
VALUE
SERVICE



MIDLAND[™]
GARAGE DOOR MFG CO


NOT ALL GARAGE DOORS ARE CREATED EQUAL

WHERE IS THE PROOF?


The infrared images below show a side-by-side comparison of a Midland ThermoGuard™ door, next to a competitor's polyurethane door. This was observed with the doors installed next to the other in the same location. The outside temperature was 0°F and the inside temperature was 55°F. The dark areas show where energy loss occurs.

MIDLAND
GARAGE DOOR MFG CO

THERMOGUARD™ DOOR



COMPETITOR'S POLYURETHANE DOOR



WHY DO MIDLAND THERMOGUARD™ DOORS PERFORM BETTER?

1

TRUE THERMAL BREAK

Midland door sections utilize a true thermal break that minimizes energy loss between sections

2

SUPERIOR FIT

Midland door sections have tighter and more consistent section gaps

3

STRUCTURAL RIGIDITY

Concealed full-height vertical center stiles and tailor-made custom end stiles provide structural rigidity

4

MINIMAL AIR INFILTRATION

A flexible commercial-grade seal between the door sections minimizes air infiltration

5

MOISTURE RESISTANT


Closed cell end dams help to keep moisture away from insulation

6

QUALITY STEEL

Hot dipped galvanized steel, that is conditioned and embossed with a pebble texture for maximum durability

DESIGN OPTIONS



RAISED STEEL PANEL

3




SHORT PANEL CARRIAGE

5




LONG PANEL CARRIAGE

7



RECESSED PANEL

9




RANCH PANEL

11




FLUSH PANEL

13



CLASSIC PANEL

15



STEEL OVERLAY

17



SMOOTH & V-GROOVE OVERLAY

19



CHALET

21



PINNACLE

23




FULLVIEW

25



ATHENA

27



FULLVIEW STYLIST

29



SERIES 26 RIBBED

31



RAISED STEEL PANEL

TIMELESS
TRADITIONAL
STYLE




RAISED STEEL PANEL, WHITE

COLORS



STEEL EMBOSSING



Woodgrain
embossing only
available in
ThermoGuard™
and Series 24

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*Woodgrain embossing only ** Woodgrain embossing not available

SPECIFICATIONS ThermoGuard™ ThermoSteel™ TS-138 Series 24 ValuCraft Plus


U-Factor R-Value	0.14  18.0	0.22  9.25	0.26  7.50	0.38*  7.0*	0.38*  7.0*
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1⅝ inches	2 inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge	25 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A	N/A
Warranty* <i>Excludes Springs</i>	Lifetime	Lifetime	25 years	Lifetime	25 years
COLORS				*With T-Bond	*With T-Bond

White	•	•	•	•	•
Almond	•		•	•	•
Sandtone	•	•	•	•	•
Tera-Bronze	•	•	•	•	•
Green	•		•		
Gray	•		•		
Coffee	•	•	•	•	•
Black	•	•	•	•	
Light Oak	•	•	•	•	
Dark Oak	•	•	•	•	
Weathered Oak	•		•		
Rosewood		•			
Walnut	•			•	
Ash	•			•	
Color Select**	•	•	•	•	•

*For full warranty details contact your Midland dealer



GLASS



*Tempered only.

STEEL WINDOW GLASS ONLY




WINDOWS



STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor



*Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.

*Not Available in TS-138.

SHORT PANEL CARRIAGE

HANDCRAFTED
BEAUTY &
ELEGANCE



SHORT PANEL CARRIAGE, GRAY, LONG PLAIN WINDOWS

COLORS



STEEL EMBOSSING



Woodgrain
embossing only
available in
ThermoGuard™
and Series 24

Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*Woodgrain embossing only ** Woodgrain embossing not available

SPECIFICATIONS	ThermoGuard™	ThermoSteel™	TS-138	Series 24
U-Factor R-Value	0.14  18.0	0.22  9.25	0.26  7.50	0.38*  7.0*
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1⅜ inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A
Warranty* <i>Excludes Springs</i>	Lifetime	Lifetime	25 years	Lifetime
COLORS				*With T-Bond
White	•	•	•	•
Almond	•		•	•
Sandtone	•	•	•	•
Tera-Bronze	•	•	•	•
Green	•		•	
Gray	•		•	
Coffee	•	•	•	•
Black	•	•	•	•
Light Oak	•	•	•	•
Dark Oak	•	•	•	•
Weathered Oak	•		•	
Rosewood		•		
Walnut	•			•
Ash	•			•
Color Select**	•	•	•	•

*For full warranty details contact your Midland dealer



GLASS




*Tempered only.


STEEL WINDOW GLASS ONLY



HARDWARE




WINDOWS



STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor



*Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.

*Not Available in TS-138.

LONG PANEL CARRIAGE

CONTEMPORARY
CHARM &
STYLE




LONG PANEL CARRIAGE, ROSEWOOD

COLORS



STEEL EMBOSSING



Woodgrain
embossing only
available in
ThermoGuard™
and Series 24

Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*Woodgrain embossing only ** Woodgrain embossing not available

SPECIFICATIONS

	ThermoGuard™	ThermoSteel™	TS-138	Series 24
U-Factor R-Value	0.14 18.0 	0.22 9.25 	0.26 7.50 	0.38* 7.0* 
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1⅜ inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A
Warranty* <i>Excludes Springs</i>	Lifetime	Lifetime	25 years	Lifetime *With T-Bond
COLORS				
White	•	•	•	•
Almond	•		•	•
Sandtone	•	•	•	•
Tera-Bronze	•	•	•	•
Green	•		•	
Gray	•		•	
Coffee	•	•	•	•
Black	•	•	•	•
Light Oak	•	•	•	•
Dark Oak	•	•	•	•
Weathered Oak	•		•	
Rosewood		•		
Walnut	•			•
Ash	•			•
Color Select**	•	•	•	•

*For full warranty details contact your Midland dealer



GLASS




*Tempered only.


STEEL WINDOW GLASS ONLY



HARDWARE



WINDOWS



STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor



*Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.

*Not Available in TS-138.

RECESSED LONG PANEL

**BOLD &
TRADITIONAL
REFINEMENT**



RECESSED PANEL, WHITE

COLORS



STEEL EMBOSSING



Woodgrain
embossing only
available in
ThermoGuard™
and Series 24



Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*Woodgrain embossing only ** Woodgrain embossing not available

SPECIFICATIONS

ThermoGuard™

U-Factor	0.14
R-Value	18.0
Foam/Insulate	Polyurethane
Thickness	2 inches
Exterior Steel	27 gauge
Interior Steel	27 gauge
Warranty* Excludes Springs	Lifetime

COLORS

White	•
Almond	•
Sandtone	•
Tera-Bronze	•
Green	•
Gray	•
Coffee	•
Black	•
Light Oak	•
Dark Oak	•
Weathered Oak	•
Walnut	•
Ash	•
Color Select**	•

*For full warranty details contact your Midland dealer.



GLASS

Plain

Obscure

Bronze

Double Dark*

Satin*

Gray

Low E

*Tempered only.

STEEL WINDOW GLASS ONLY

Smoked

Smoked Satin

Black Laminate

White Laminate

HARDWARE

Standard Straps

Standard Handles

WINDOWS

Long Plain

Stockton

Somerton

Stockbridge

Wyndbridge

Prairie

Fullerton (Somerton & Stockton)

Cambridge (Wyndbridge & Stockbridge)

STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor

12

13

14

62

63


64

68

*Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.
*Not Available in TS-138.

RANCH PANEL

SIMPLE LINES
FOR A
BIG STATEMENT




RANCH PANEL, DARK OAK, LONG PLAIN WINDOWS

COLORS



STEEL EMBOSSING



Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*Woodgrain embossing only ** Woodgrain embossing not available


SPECIFICATIONS

	ThermoGuard™	ThermoSteel™	TS-138	Series 24
U-Factor R-Value	0.14 18.0 	0.22 9.25 	0.26 7.50 	0.38* 7.0* 
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1⅝ inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A
Warranty* <i>Excludes Springs</i>	Lifetime	Lifetime	25 years	Lifetime *With T-Bond
COLORS				
White	•	•	•	•
Almond	•		•	•
Sandtone	•	•	•	•
Tera-Bronze	•	•	•	•
Green	•		•	
Gray	•		•	
Coffee	•	•	•	•
Black	•	•	•	•
Light Oak	•	•	•	•
Dark Oak	•	•	•	•
Weathered Oak	•		•	
Rosewood		•		
Walnut	•			•
Ash	•			•
Color Select**	•	•	•	•

*For full warranty details contact your Midland dealer



GLASS




*Tempered only.


STEEL WINDOW GLASS ONLY



HARDWARE



WINDOWS



STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor



*Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.

*Not Available in TS-138.




FLUSH PANEL

MINIMALIST
MODERN
REFINEMENT



FLUSH PANEL, MAHOGANY PLANK, DOUBLE LANDSCAPE WINDOWS

COLORS

							
White	Almond	Sandtone	Tera-Bronze	Green	Gray	Coffee	Black
							
Rosewood	Cedar Plank	Oak Plank	Mahogany Plank	Carbon Oak Plank	Walnut*	Ash*	Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*Woodgrain embossing only

SPECIFICATIONS

	ThermoGuard™	ThermoSteel™	TS-138
U-Factor R-Value	0.14  18.0	0.22  9.25	0.26  7.50
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene
Thickness	2 inches	2 inches	1¾ inches
Exterior Steel	27 gauge	25 gauge	27 gauge
Interior Steel	27 gauge	26 gauge	27 gauge
Warranty* <i>Excludes Springs</i>	Lifetime	Lifetime	25 years

COLORS

White	•	•	•
Almond	•		•
Sandtone	•	•	•
Tera-Bronze	•	•	•
Green	•		•
Gray	•		•
Coffee	•	•	•
Black	•	•	•
Cedar Planks	•		
Oak Planks	•		
Mahogany Planks	•		
Carbon Oak Planks	•		
Rosewood		•	
Walnut	•		
Ash	•		
Color Select™	•	•	•

WINDOWS

Short Plain	•	•	•
Long Plain	•	•	•
24" x 7"	•	•	
24" x 12"	•	•	
Single Landscape	•		
Double Landscape	•		
Steel Windows	•	•	

*For full warranty details contact your Midland dealer



STEEL EMBOSSING




Pebble

Woodgrain

Woodgrain embossing only available in ThermoGuard™ and Series 24

GLASS




*Tempered only.

STEEL WINDOW GLASS ONLY




STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor



*Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.
*Not Available in TS-138.

WINDOWS



• Not available in Planks
• Black, White & Plank frames only. Plain, Satin & Double Dark glass only

*Contact your dealer for custom window options

CLASSIC PANEL

TRADITIONAL
RECTANGULAR
DESIGN



CLASSIC PANEL, BLACK, STOCKBRIDGE WINDOWS, STANDARD HARDWARE

COLORS



STEEL EMBOSSING



Woodgrain
embossing only
available in
ThermoGuard™
and Series 24

Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*Woodgrain embossing only ** Woodgrain embossing not available

SPECIFICATIONS

	ThermoGuard™	ThermoSteel™	TS-138	Series 24
U-Factor R-Value	0.14 18.0 	0.22 9.25 	0.26 7.50 	0.38* 7.0* 
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1⅜ inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A
Warranty* <i>Excludes Springs</i>	Lifetime	Lifetime	25 years	Lifetime *With T-Bond
COLORS				
White	•	•	•	•
Almond	•		•	•
Sandtone	•	•	•	•
Tera-Bronze	•	•	•	•
Green	•		•	
Gray	•		•	
Coffee	•	•	•	•
Black	•	•	•	•
Light Oak	•	•	•	•
Dark Oak	•	•	•	•
Weathered Oak	•		•	
Rosewood		•		
Walnut	•			•
Ash	•			•
Color Select**	•	•	•	•

*For full warranty details contact your Midland dealer



GLASS




*Tempered only.


STEEL WINDOW GLASS ONLY



HARDWARE



WINDOWS



STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor




*Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.

*Not Available in TS-138.







STEEL OVERLAY

POLISHED
OVERLAY
DESIGN



STEEL OVERLAY, BLACK, STOCKTON WINDOWS

COLORS

								
White	Almond	Sandtone	Tera-Bronze	Green	Gray	Coffee	Black	Light Oak**
								
Dark Oak**	Weathered Oak**	Walnut*	Ash*	Carbon Oak Plank	Cedar Plank	Oak Plank	Mahogany Plank	Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
** Woodgrain embossing not available

SPECIFICATIONS

ThermoGuard™

U-Factor

R-Value

0.14

18.0



Foam/Insulate

Polyurethane

Thickness

2 inches

Exterior Steel

27 gauge

Interior Steel

27 gauge

Warranty* *Excludes Springs*

Lifetime

COLORS

White

•

Almond

•

Sandtone

•

Tera-Bronze

•

Green

•

Gray

•

Coffee

•

Black

•

Light Oak

•

Dark Oak

•

Weathered Oak

•

Cedar Plank

•

Oak Plank

•

Mahogany Plank

•

Carbon Oak Plank

•

Walnut

•

Ash

•

Color Select**

•

*For full warranty details contact your Midland dealer



GLASS



Plain



Obscure



Satin*



Gray



Bronze




Double Dark*



Low E

*Tempered only.

OVERLAY DESIGNS



Custom designs available

HARDWARE



Standard Straps



Standard Handles



Adirondack Pull Rings



Adirondack Brackets

STEEL EMBOSING



Woodgrain

Woodgrain embossing standard on overlay doors

WINDOWS



Long Plain



Stockton



Somerton



Stockbridge



Wyndbridge




Fullerton (Somerton & Stockton)



Cambridge (Wyndbridge & Stockbridge)

SMOOTH & V-GROOVE

CLASSIC
LOOK OF
REAL WOOD



V-GROOVE OVERLAY, BLACK, STOCKBRIDGE WINDOWS

COLORS




Color Select™

PANEL DESIGN



Smooth Panel



V-Groove Panel

Printed colors may not be accurate. Contact your Midland dealer for exact color samples

SPECIFICATIONS

ThermoGuard™

U-Factor R-Value	0.14 18.0 
Foam/Insulate	Polyurethane
Thickness	2 inches
Exterior Steel	27 gauge
Interior Steel	27 gauge
Warranty* <i>Excludes Springs</i>	Lifetime

COLORS

White	•
Almond	•
Sandtone	•
Tera-Bronze	•
Green	•
Gray	•
Coffee	•
Black	•
Color Select™	•

GLASS



Plain



Obscure



Satin*



Gray



Bronze



Double Dark*



Low E

**Tempered only.*

OVERLAY DESIGNS



1



2



3



4



5



6



7



8



9



10



11



12



13



14



15



16



17



19



20



21

Custom designs available

*For full warranty details contact your Midland dealer



HARDWARE



Standard Straps



Standard Handles



Adirondack Pull Rings



Adirondack Brackets

WINDOWS



Long Plain



Stockton



Somerton



Stockbridge



Wyndbridge




Fullerton (Somerton & Stockton)



Cambridge (Wyndbridge & Stockbridge)


CHALET

RUSTIC CHARM,
UPSCALE
PRESENCE



CHALET, DARK OAK

COLORS



** Printed colors may not be accurate. Contact your Midland dealer for exact color samples*



SPECIFICATIONS

ThermoGuard™

U-Factor

R-Value

0.14

18.0



Foam/Insulate

Polyurethane

Thickness

2 inches

Exterior Steel

27 gauge

Interior Steel

27 gauge

Warranty* *Excludes Springs*

Lifetime

COLORS

White

•

Almond

•

Sandtone

•

Tera-Bronze

•

Green

•

Gray

•

Coffee

•

Black

•

Walnut

•

Ash

•

**For full warranty details contact your Midland dealer*



WOOD STAINS



Walnut

Dark

Medium

Ash



Natural

White

Black

Weathered Gray

WOOD SPECIES




Cedar

Barnwood

Pecky

CHALET DESIGNS




FAUX ON FAUX

- Polyurethane Faux Trim
- Polyurethane Faux Boards
- 27 Gauge Steel
- Polyurethane Hardboard
- 27 Gauge Steel Backing

FAUX ON STEEL

- Polyurethane Faux Trim
- 27 Gauge Steel
- Polyurethane Hardboard
- 27 Gauge Steel Backing

HARDWARE



Standard Straps

Standard Handles


PINNACLE

THE PEAK OF
PREMIUM PANEL
DESIGN




STEEL PINNACLE, SHORT PANEL, WALNUT, STEEL 63 WINDOWS, PLAIN GLASS


ALUMINUM DESIGNS



STEEL DESIGNS



STEEL GROOVE OPTIONS



SPECIFICATIONS

	Aluminum Pinnacle	Steel Pinnacle
U-Factor	Not Tested	Not Tested
Standard	Non-Insulated	Non-Insulated
With Insulation	Polystyrene	Polystyrene
Thickness	2 inches	2 inches
Exterior Steel	18 gauge	24 gauge
Interior Steel	28 gauge	28 gauge
Warranty* <i>Excludes Springs</i>	Lifetime	Lifetime

HARDWARE



Standard Straps



Standard Handles


**Only available in Aluminum Pinnacle*

ALUMINUM COLORS

SOLID POWDER COAT



Jet Black



Signal White



Black Gray



Dark Brown



Desert Taupe



Telegray



Adobe Stone




WOODGRAIN POWDER COAT




Carbon Fiber




Ebony Wood




Maple




Aspen



Gold Pecan




Dark Walnut



Cherry

STEEL COLORS



White



Almond



Sandtone




Black




Tera-Bronze



Coffee



Walnut*



Ash*

Printed colors may not be accurate. Contact your Midland dealer for exact color samples

**Woodgrain embossing only*

STEEL & ALUMINUM WINDOWS

Steel & Aluminum Window sections do not qualify for WindGuard or U-Factor



12



13



14



62



63



64



68

**Not Available in Woodgrain powder coating.*

GLASS



Plain



Obscure



Satin*



Gray



Smoked Satin



Bronze



Double Dark*



Low E



Smoked

**Tempered only.*

LAMINATE



Black Laminate



White Laminate

ALUMINUM WINDOWS

Aluminum Window sections do not qualify for WindGuard or U-Factor



15



16



17



65



66




67

**Not Available in Woodgrain powder coating.*


FULLVIEW

SLEEK LINES
OF STYLISH
GLASS



FULLVIEW, DEEP BRONZE ANODIZED, PLAIN GLASS

FRAME COLORS



White

Clear Anodized

Deep Bronze
Anodized

Black Anodized

Printed colors may not be accurate. Contact your Midland dealer for exact color samples

SPECIFICATIONS


U-Factor	0.85 
Frame	6063-T Aluminum
Thickness	2 inches
Glass	½ inch insulated ¼ inch non-insulated ⅛ inch non-insulated
Panel	—
Rails	Insulated non-insulated
Air Infiltration Seal	•
Warranty* Excludes Springs	5 years

*For full warranty details contact your Midland dealer

GLASS




*Tempered only.




ATHENA

ELEGANT
SOPHISTICATED
FRAMES



ATHENA, DARK WALNUT POWDER COAT, SATIN WINDOWS

FRAME COLORS



Clear Anodized

Deep Bronze
Anodized


Black Anodized

Printed colors may not be accurate. Contact your Midland dealer for exact color samples

FRAME DESIGNS



Athena 211*



Athena 201*



Athena 212

*Max width for 211: 18'2"

*Max width for 201: 9'2" (depending on glass type)



SPECIFICATIONS	Athena Glass Panel
U-Factor	Not Tested
Frame	14 Ga. Aluminum
Thickness	2 inches
Glass	½ inch insulated ¼ inch non-insulated ⅛ inch non-insulated
Panel	—
Rails	Non-insulated Insulated
Air Infiltration Seal	•
Warranty* Excludes Springs	5 Years

*For full warranty details contact your Midland dealer

GLASS



Plain



Obscure



Satin*



Gray



Smoked Satin



Bronze



Double Dark*



Low E



Smoked

*Tempered only.

LAMINATE GLASS





Black Laminate



White Laminate

SOLID POWDER COAT






Jet Black

Signal White

Black Gray


Dark Brown

Desert Taupe

Telegray

Adobe Stone

WOODGRAIN POWDER COAT









Carbon Fiber

Ebony Wood



Maple

Aspen

Gold Pecan

Dark Walnut

Cherry




FULLVIEW STYLIST

DRAMATIC
ULTRA-MODERN
UPSCALE GLASS



FULLVIEW STYLIST, DEEP BRONZE ANODIZED, SATIN GLASS

FRAME COLORS



White

Clear Anodized

Deep Bronze
Anodized

Black Anodized



Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples

SPECIFICATIONS

Stylist

U-Factor

Not Tested

Frame

6063-T Aluminum

Thickness

2 inches

Stylist XL Glass

¾ inch insulated

Stylist LT Glass

½ inch insulated
¼ inch non-insulated
⅛ inch non-insulated

Panel

—

Rails

Insulated
non-insulated

Air Infiltration Seal

•

Warranty* Excludes Springs

5 years

**For full warranty details contact
your Midland dealer*

GLASS



Plain*



Satin Stylist


**Tempered only.*

STYLIST LITE

Doors up to 7' 2"
wide = 1 panel



Doors 7' 3" to 12' 2"
wide = 2 panels



Doors 12' 3" to 18' 2"
wide = 3 panels




STYLIST XL

Doors up to 10' 2"
wide = 1 panel



Doors 10' 3" to 18' 2"
wide = 2 panels



Stylist Cross Section*

**Pictured with optional
insulation*



Polystyrene insulation*

Cross linked polyethylene*
**Optional*


Air infiltration seal provides
an energy efficient seal
to help maintain building
temperature

SERIES 26 RIBBED


DURABLE
PEBBLE GRAIN
STEEL FINISH



COLORS



White



Coffee



Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples

SPECIFICATIONS

Series 26

U-Factor

R-Value

0.38* 
7.0*

Foam/Insulate

T-Bond/
Plain Steel

Thickness

2 inches

Exterior Steel

26 gauge

Interior Steel

N/A

Warranty* Excludes Springs

Lifetime

COLORS

White

•

Coffee

•

Color Select**

•

*For full warranty details contact
your Midland dealer

**ColorSelect™ uses Sherwin
Williams Polane® Solar Reflective
Polyurethane Enamel, providing a
durable, heat-repelling coating.



GLASS



Plain



Obscure



Bronze



Double Dark*



Satin*



Gray



Low E

*Tempered only.

WINDOWS



24" x 5"



24" x 12"

LOCK OPTIONS



Mini Warehouse Lock pictured above.

INSIDE LOCK

- Side bolt door latch, attached on inside
- Not visible from the outside
- Harder for an intruder to tamper with

RESIDENTIAL KEYED LOCK

- T-handle keyed lock, attached on outside
- Cylinder-shaped key that is difficult to reproduce
- Impossible to operate the handle without key


MINI WAREHOUSE LOCK

- Side bolt door latch
- Attached on outside of garage door
- Latch fits with padlock

WHY U-FACTOR MATTERS

THE KEY TO BETTER ENERGY EFFICIENCY

R-Value is not the most accurate indicator of thermal performance in a garage door. U-Factor is commonly used in energy efficiency standards and is considered a more comprehensive and accurate metric than R-Value.



	U-FACTOR	R-VALUE
Measurement	Thermal Transmittance	Thermal Resistance
Definition	Measures how much heat loss occurs	Calculates how resistant the door is to heat loss
Testing Standards	Third party testing with strict guidelines and inspection	Unregulated with no standard guidelines
Testing Area	Entire installed garage door is tested	Small section is tested and used for resistance calculation
Values	Lower U-factor means better thermal performance	Higher R-value means better thermal performance
Best Application	Complex assemblies like windows and doors	Simple elements of building assemblies like insulation
Reflects Entire Door Performance	✓	
Verified By DASMA Door & Access Systems Manufacturers Association	✓	



THERMAL PERFORMANCE VERIFICATION PROGRAM

Is a program to certify and verify the thermal performance ratings of sectional doors. Products included in this program will have a badge, label or icon.




PROTECT YOUR HOME FROM EXTREME WEATHER

Wind-rated doors are required by building codes across the country, and are increasingly in demand as consumers recognize the benefits and protection wind rated doors can provide to their home. Midland WindGuard doors are designed and tested to exceed building code requirements and withstand extreme wind events. Visit your local dealer for details.



VERIFY LOCAL BUILDING CODES

States, cities and counties have different jurisdictions with different building codes, always check with local building officials



STORM PRESSURES

Storms generate both positive and negative pressures on a garage door. Positive pressures try to push the garage door in, while negative pressures try to pull the garage door out



NON-RATED DOOR RISKS

High winds can cause un-reinforced garage doors to buckle and come out of their tracks, which can lead to a buildup of pressure that damages the roof and supporting walls




WIND RATING STANDARDS

Wind speeds are defined by the International Building Code. Wind pressures include wind speed and other factors like building height, door area, building location, risk category, and exposure category




STRUCTURAL PROTECTION

A wind rated door's purpose is to remain operable after a high wind event so occupants can escape. It also offers protection by reducing the chance of high internal wind pressures from tearing structures apart



FROM *Imagination* TO INSTALLATION

DESIGN YOUR PERFECT DOOR



Choose from an assortment of styles and features to perfectly compliment the exterior of your home. Go to midlandgaragedoor.com today to get started designing your quality door.

midlandgaragedoor.com

DESIGN NOW

