

GARAGE DOORS

RESIDENTIAL PRODUCT GUIDE

QUALITY
VALUE
SERVICE




MIDLAND[™]
GARAGE DOOR MFG CO

NOT ALL GARAGE DOORS ARE CREATED EQUAL


WHERE IS THE PROOF?

The infrared images below show a side-by-side comparison of a Midland ThermoGuard™ door, next to a competitor's polyurethane door. This was observed with the doors installed next to the other in the same location. The outside temperature was 0°F and the inside temperature was 55°F. The dark areas show where energy loss occurs.

MIDLAND
GARAGE DOOR MFG CO
THERMOGUARD™ DOOR



COMPETITOR'S POLYURETHANE DOOR



WHY DO MIDLAND THERMOGUARD™ DOORS PERFORM BETTER?

- 1

TRUE THERMAL BREAK
Midland door sections utilize a true thermal break that minimizes energy loss between sections
- 2

SUPERIOR FIT
Midland door sections have tighter and more consistent section gaps
- 3







STRUCTURAL RIGIDITY
Concealed full-height vertical center stiles and tailor-made custom end stiles provide structural rigidity
- 4


MINIMAL AIR INFILTRATION
A flexible commercial-grade seal between the door sections minimizes air infiltration
- 5

MOISTURE RESISTANT
Closed cell end dams help to keep moisture away from insulation
- 6

QUALITY STEEL
Hot dipped galvanized steel, that is conditioned and embossed with a pebble texture for maximum durability

DESIGN OPTIONS

		
RAISED STEEL PANEL 3	SHORT PANEL CARRIAGE 5	LONG PANEL CARRIAGE 7
		
RECESSED PANEL 9	RANCH PANEL 11	FLUSH PANEL 13
		
CLASSIC PANEL 15	STEEL OVERLAY 17	SMOOTH & V-GROOVE OVERLAY 19
		
CHALET 21	PINNACLE 23	FULLVIEW 25
		
ATHENA 27	FULLVIEW STYLIST 29	SERIES 26 RIBBED 31



RAISED STEEL PANEL

TIMELESS
TRADITIONAL
STYLE




RAISED STEEL PANEL, WHITE

COLORS



STEEL EMBOSSING



Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*Woodgrain embossing only ** Woodgrain embossing not available

SPECIFICATIONS	ThermoGuard™	ThermoSteel™	TS-138	Series 24	ValuCraft Plus
U-Factor R-Value	0.14 18.0	0.22 9.25	0.26 7.50	0.38* 7.0*	0.38* 7.0*
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1¾ inches	2 inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge	25 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A	N/A
Warranty* <i>Excludes Springs</i>	Lifetime	Lifetime	25 years	Lifetime	25 years
COLORS				*With T-Bond	*With T-Bond
White	•	•	•	•	•
Almond	•		•	•	•
Sandtone	•	•	•	•	•
Tera-Bronze	•	•	•	•	•
Green	•		•		
Gray	•		•		
Coffee	•	•	•	•	•
Black	•	•	•	•	
Light Oak	•	•	•	•	
Dark Oak	•	•	•	•	
Weathered Oak	•		•		
Rosewood		•			
Walnut	•			•	
Ash	•			•	
Color Select™	•	•	•	•	•


**For full warranty details contact your Midland dealer*

WINDOWS



STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor



*Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.
*Not Available in TS-138.

GLASS



*Tempered only.

STEEL WINDOW GLASS ONLY



SHORT PANEL CARRIAGE

HANDCRAFTED
BEAUTY &
ELEGANCE




SHORT PANEL CARRIAGE, GRAY, LONG PLAIN WINDOWS

COLORS



STEEL EMBOSSING



Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*Woodgrain embossing only ** Woodgrain embossing not available

SPECIFICATIONS	ThermoGuard™	ThermoSteel™	TS-138	Series 24
U-Factor R-Value	0.14 18.0	0.22 9.25	0.26 7.50	0.38* 7.0*
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1¾ inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A
Warranty* <i>Excludes Springs</i>	Lifetime	Lifetime	25 years	Lifetime
COLORS				*With T-Bond
White	•	•	•	•
Almond	•		•	•
Sandtone	•	•	•	•
Tera-Bronze	•	•	•	•
Green	•		•	
Gray	•		•	
Coffee	•	•	•	•
Black	•	•	•	•
Light Oak	•	•	•	•
Dark Oak	•	•	•	•
Weathered Oak	•		•	
Rosewood		•		
Walnut	•			•
Ash	•			•
Color Select™	•	•	•	•

*For full warranty details contact your Midland dealer



GLASS




*Tempered only.


STEEL WINDOW GLASS ONLY



HARDWARE




WINDOWS



STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor



*Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.
*Not Available in TS-138.

LONG PANEL CARRIAGE

CONTEMPORARY
CHARM &
STYLE



LONG PANEL CARRIAGE, ROSEWOOD

COLORS

White

Almond

Sandtone

Tera-Bronze

Green

Gray

Coffee

Black

Light Oak**

Dark Oak**

Weathered Oak**

Rosewood

Walnut*

Ash*

Pebble

Woodgrain

Color Select™

Woodgrain embossing only available in ThermoGuard™ and Series 24

STEEL EMBOSSING

SPECIFICATIONS	ThermoGuard™	ThermoSteel™	TS-138	Series 24
U-Factor R-Value	0.14 18.0	0.22 9.25	0.26 7.50	0.38* 7.0*
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1¾ inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A
Warranty* Excludes Springs	Lifetime	Lifetime	25 years	Lifetime
COLORS				*With T-Bond
White	•	•	•	•
Almond	•		•	•
Sandtone	•	•	•	•
Tera-Bronze	•	•	•	•
Green	•		•	
Gray	•		•	
Coffee	•	•	•	•
Black	•	•	•	•
Light Oak	•	•	•	•
Dark Oak	•	•	•	•
Weathered Oak	•		•	
Rosewood		•		
Walnut	•			•
Ash	•			•
Color Select™	•	•	•	•

*For full warranty details contact your Midland dealer

GLASS

Plain

Obscure

Bronze

Double Dark*

Satin*

Gray

Low E

*Tempered only.

STEEL WINDOW GLASS ONLY

Smoked

Smoked Satin

Black Laminate

White Laminate

HARDWARE

Standard Straps

Standard Handles

WINDOWS

Long Plain

Stockton

Somerton

Stockbridge

Wyndbridge

Prairie

Fullerton (Somerton & Stockton)

Cambridge (Wyndbridge & Stockbridge)

STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor

12

13

14

62

63

64

68

*Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.
*Not Available in TS-138.

RECESSED LONG PANEL

BOLD & TRADITIONAL REFINEMENT



RECESSED PANEL, WHITE

COLORS



STEEL EMBOSSING



Woodgrain embossing only available in ThermoGuard™ and Series 24



Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*Woodgrain embossing only ** Woodgrain embossing not available

SPECIFICATIONS	ThermoGuard™
U-Factor R-Value	0.14 18.0 
Foam/Insulate	Polyurethane
Thickness	2 inches
Exterior Steel	27 gauge
Interior Steel	27 gauge
Warranty* Excludes Springs	Lifetime

COLORS	
White	•
Almond	•
Sandtone	•
Tera-Bronze	•
Green	•
Gray	•
Coffee	•
Black	•
Light Oak	•
Dark Oak	•
Weathered Oak	•
Walnut	•
Ash	•
Color Select™	•

*For full warranty details contact your Midland dealer.



GLASS



Plain



Obscure



Bronze



Double Dark*



Satin*



Gray



Low E

*Tempered only.

HARDWARE



Standard Straps



Standard Handles

STEEL WINDOW GLASS ONLY




WINDOWS



STEEL WINDOWS


Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor



*Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.
*Not Available in TS-138.

RANCH PANEL

SIMPLE LINES
FOR A
BIG STATEMENT



RANCH PANEL, DARK OAK, LONG PLAIN WINDOWS

COLORS

White

Almond

Sandtone

Tera-Bronze

Green

Gray

Coffee

Black

Light Oak**

Dark Oak**

Weathered Oak**

Rosewood

Walnut*

Ash*

Pebble

Woodgrain

Color Select™

Woodgrain embossing only available in ThermoGuard™ and Series 24

STEEL EMBOSSING

SPECIFICATIONS

	ThermoGuard™	ThermoSteel™	TS-138	Series 24
U-Factor R-Value	0.14 18.0	0.22 9.25	0.26 7.50	0.38* 7.0*
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1¾ inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A
Warranty* <i>Excludes Springs</i>	Lifetime	Lifetime	25 years	Lifetime
COLORS				*With T-Bond
White	•	•	•	•
Almond	•		•	•
Sandtone	•	•	•	•
Tera-Bronze	•	•	•	•
Green	•		•	
Gray	•		•	
Coffee	•	•	•	•
Black	•	•	•	•
Light Oak	•	•	•	•
Dark Oak	•	•	•	•
Weathered Oak	•		•	
Rosewood		•		
Walnut	•			•
Ash	•			•
Color Select™	•	•	•	•

*For full warranty details contact your Midland dealer



GLASS

Plain

Obscure

Bronze

Double Dark*

Satin*

Gray

Low E

*Tempered only.

STEEL WINDOW GLASS ONLY

Smoked

Smoked Satin

Black Laminate

White Laminate

HARDWARE

Standard Straps

Standard Handles

WINDOWS

Long Plain

Stockton

Somerton

Stockbridge

Wyndbridge

Prairie

Fullerton (Somerton & Stockton)

Cambridge (Wyndbridge & Stockbridge)

STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor

12

13

14

62

63

64

68

*Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.
*Not Available in TS-138.

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*Woodgrain embossing only ** Woodgrain embossing not available


FLUSH PANEL

MINIMALIST
MODERN
REFINEMENT



FLUSH PANEL, MAHOGANY PLANK, DOUBLE LANDSCAPE WINDOWS

COLORS



Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*Woodgrain embossing only

SPECIFICATIONS	ThermoGuard™	ThermoSteel™	TS-138
U-Factor R-Value	0.14 18.0	0.22 9.25	0.26 7.50
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene
Thickness	2 inches	2 inches	1¾ inches
Exterior Steel	27 gauge	25 gauge	27 gauge
Interior Steel	27 gauge	26 gauge	27 gauge
Warranty* <i>Excludes Springs</i>	Lifetime	Lifetime	25 years
COLORS			
White	•	•	•
Almond	•		•
Sandtone	•	•	•
Tera-Bronze	•	•	•
Green	•		•
Gray	•		•
Coffee	•	•	•
Black	•	•	•
Cedar Planks	•		
Oak Planks	•		
Mahogany Planks	•		
Carbon Oak Planks	•		
Rosewood		•	
Walnut	•		
Ash	•		
Color Select™	•	•	•
WINDOWS			
Short Plain	•	•	•
Long Plain	•	•	•
24" x 7"	•	•	
24" x 12"	•	•	
Single Landscape	•		
Double Landscape	•		
Steel Windows	•	•	

**For full warranty details contact your Midland dealer*

STEEL EMBOSSING



Woodgrain embossing only available in ThermoGuard™ and Series 24

GLASS




**Tempered only.*

STEEL WINDOW GLASS ONLY




STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor



**Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.
Not Available in TS-138.

WINDOWS



• Not available in Planks
• Black, White & Plank frames only. Plain, Satin & Double Dark glass only
**Contact your dealer for custom window options*

CLASSIC PANEL

TRADITIONAL
RECTANGULAR
DESIGN



CLASSIC PANEL, BLACK, STOCKBRIDGE WINDOWS, STANDARD HARDWARE

COLORS

White

Almond

Sandtone

Tera-Bronze

Green

Gray

Coffee

Black

Light Oak**

Dark Oak**

Weathered Oak**

Rosewood

Walnut*

Ash*

Pebble

Woodgrain

Color Select™

Woodgrain embossing only available in ThermoGuard™ and Series 24

STEEL EMBOSSING

SPECIFICATIONS	ThermoGuard™	ThermoSteel™	TS-138	Series 24
U-Factor R-Value	0.14 18.0	0.22 9.25	0.26 7.50	0.38* 7.0*
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1¾ inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A
Warranty* <i>Excludes Springs</i>	Lifetime	Lifetime	25 years	Lifetime
COLORS				*With T-Bond
White	•	•	•	•
Almond	•		•	•
Sandtone	•	•	•	•
Tera-Bronze	•	•	•	•
Green	•		•	
Gray	•		•	
Coffee	•	•	•	•
Black	•	•	•	•
Light Oak	•	•	•	•
Dark Oak	•	•	•	•
Weathered Oak	•		•	
Rosewood		•		
Walnut	•			•
Ash	•			•
Color Select™	•	•	•	•

*For full warranty details contact your Midland dealer



GLASS

Plain

Obscure

Bronze

Double Dark*

Satin*

Gray

Low E

*Tempered only.

STEEL WINDOW GLASS ONLY

Smoked

Smoked Satin

Black Laminate

White Laminate

HARDWARE

Standard Straps

Standard Handles

WINDOWS

Long Plain

Stockton

Somerton

Stockbridge

Wyndbridge

Prairie

Fullerton (Somerton & Stockton)

Cambridge (Wyndbridge & Stockbridge)

STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor

12

13

14

62

63

64

68

*Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.
*Not Available in TS-138.


STEEL OVERLAY

POLISHED OVERLAY DESIGN



STEEL OVERLAY, BLACK, STOCKTON WINDOWS

COLORS



Printed colors may not be accurate. Contact your Midland dealer for exact color samples
** Woodgrain embossing not available

SPECIFICATIONS	ThermoGuard™
U-Factor R-Value	0.14 18.0 
Foam/Insulate	Polyurethane
Thickness	2 inches
Exterior Steel	27 gauge
Interior Steel	27 gauge
Warranty* <i>Excludes Springs</i>	Lifetime

COLORS	
White	•
Almond	•
Sandtone	•
Tera-Bronze	•
Green	•
Gray	•
Coffee	•
Black	•
Light Oak	•
Dark Oak	•
Weathered Oak	•
Cedar Plank	•
Oak Plank	•
Mahogany Plank	•
Carbon Oak Plank	•
Walnut	•
Ash	•
Color Select™	•

*For full warranty details contact your Midland dealer



GLASS	
Plain	
Obscure	
Satin*	
Gray	
Bronze	
Double Dark*	
Low E	
*Tempered only.	

OVERLAY DESIGNS	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
19	
20	
21	

Custom designs available


HARDWARE	
Standard Straps	
Standard Handles	
Adirondack Pull Rings	
Adirondack Brackets	

STEEL EMBOSSING	
Woodgrain	 Woodgrain embossing standard on overlay doors

WINDOWS	
Long Plain	
Stockton	
Somerton	
Stockbridge	
Wyndbridge	
Fullerton (Somerton & Stockton)	
Cambridge (Wyndbridge & Stockbridge)	

SMOOTH & V-GROOVE

CLASSIC
LOOK OF
REAL WOOD




V-GROOVE OVERLAY, BLACK, STOCKBRIDGE WINDOWS

COLORS



Printed colors may not be accurate. Contact your Midland dealer for exact color samples

PANEL DESIGN




SPECIFICATIONS	ThermoGuard™
U-Factor R-Value	0.14 18.0
Foam/Insulate	Polyurethane
Thickness	2 inches
Exterior Steel	27 gauge
Interior Steel	27 gauge
Warranty* <i>Excludes Springs</i>	Lifetime

COLORS	
White	•
Almond	•
Sandtone	•
Tera-Bronze	•
Green	•
Gray	•
Coffee	•
Black	•
Color Select™	•


*For full warranty details contact your Midland dealer



GLASS



OVERLAY DESIGNS




Custom designs available

HARDWARE




WINDOWS




CHALET

RUSTIC CHARM,
UPSCALE
PRESENCE



COLORS



• Printed colors may not be accurate. Contact your Midland dealer for exact color samples
• Woodgrain embossing only



SPECIFICATIONS

U-Factor R-Value	0.14 18.0 
Foam/Insulate	Polyurethane
Thickness	2 inches
Exterior Steel	27 gauge
Interior Steel	27 gauge
Warranty* <i>Excludes Springs</i>	Lifetime

COLORS

White	•
Almond	•
Sandtone	•
Tera-Bronze	•
Green	•
Gray	•
Coffee	•
Black	•
Walnut	•
Ash	•

*For full warranty details contact
your Midland dealer




FAUX ON FAUX

- Polyurethane Faux Trim
- Polyurethane Faux Boards
- 27 Gauge Steel
- Polyurethane Hardboard
- 27 Gauge Steel Backing

FAUX ON STEEL

- Polyurethane Faux Trim
- 27 Gauge Steel
- Polyurethane Hardboard
- 27 Gauge Steel Backing


WOOD STAINS




WOOD SPECIES



CHALET DESIGNS



HARDWARE




PINNACLE

THE PEAK OF
PREMIUM PANEL
DESIGN




STEEL PINNACLE, SHORT PANEL, EBONY WOOD, STEEL 63 WINDOWS, SATIN GLASS


ALUMINUM DESIGNS



STEEL DESIGNS




STEEL GROOVE OPTIONS



SPECIFICATIONS	Aluminum Pinnacle	Steel Pinnacle
U-Factor	Not Tested	Not Tested
Standard	Non-Insulated	Non-Insulated
With Insulation	Polystyrene	Polystyrene
Thickness	2 inches	2 inches
Exterior Steel	18 gauge	24 gauge
Interior Steel	28 gauge	28 gauge
Warranty* Excludes Springs	Lifetime	Lifetime


HARDWARE




*Only available in Aluminum Pinnacle

ALUMINUM COLORS


SOLID POWDER COAT



WOODGRAIN POWDER COAT




STEEL COLORS



Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*Woodgrain embossing only

STEEL & ALUMINUM WINDOWS

Steel & Aluminum Window sections do not qualify for WindGuard or U-Factor




*Not Available in Woodgrain powder coating.

GLASS




*Tempered only.

LAMINATE



ALUMINUM WINDOWS


Aluminum Window sections do not qualify for WindGuard or U-Factor



*Not Available in Woodgrain powder coating.


FULLVIEW

SLEEK LINES
OF STYLISH
GLASS



FULLVIEW, DEEP BRONZE ANODIZED, PLAIN GLASS

FRAME COLORS



Printed colors may not be accurate. Contact your Midland dealer for exact color samples

SPECIFICATIONS


U-Factor	0.85 
Frame	6063-T Aluminum
Thickness	2 inches
Glass	½ inch insulated ¾ inch non-insulated ⅞ inch non-insulated
Panel	—
Rails	Insulated non-insulated
Air Infiltration Seal	•
Warranty* Excludes Springs	5 years

*For full warranty details contact your Midland dealer

GLASS




*Tempered only.



ATHENA

ELEGANT
SOPHISTICATED
FRAMES




ATHENA, DARK WALNUT POWDER COAT, SATIN WINDOWS

FRAME COLORS



Printed colors may not be accurate. Contact your Midland dealer for exact color samples

FRAME DESIGNS



SPECIFICATIONS

U-Factor

Athena Glass Panel

Not Tested

Frame

14 Ga. Aluminum

Thickness

2 inches

Glass

½ inch insulated
¼ inch non-insulated
⅜ inch non-insulated

Panel

—

Rails

Non-insulated
Insulated

Air Infiltration Seal

•

Warranty* Excludes Springs

5 Years


*For full warranty details contact your Midland dealer

GLASS




*Tempered only.




LAMINATE GLASS



SOLID POWDER COAT



WOODGRAIN POWDER COAT



FULLVIEW STYLIST

DRAMATIC
ULTRA-MODERN
UPSCALE GLASS



FULLVIEW STYLIST, DEEP BRONZE ANODIZED, SATIN GLASS

FRAME COLORS



Printed colors may not be accurate. Contact your Midland dealer for exact color samples



Color Select™

SPECIFICATIONS	Stylist
U-Factor	Not Tested
Frame	6063-T Aluminum
Thickness	2 inches
Stylist XL Glass	¾ inch insulated
Stylist LT Glass	½ inch insulated ¾ inch non-insulated ⅞ inch non-insulated
Panel	—
Rails	Insulated non-insulated
Air Infiltration Seal	•
Warranty* Excludes Springs	5 years

*For full warranty details contact your Midland dealer

Stylist Cross Section*
*Pictured with optional insulation



Polystyrene insulation*
Cross linked polyethylene*
*Optional

Air infiltration seal provides an energy efficient seal to help maintain building temperature

GLASS



*Tempered only.

STYLIST LITE

Doors up to 7' 2" wide = 1 panel
Doors 7' 3" to 12' 2" wide = 2 panels



Doors 12' 3" to 18' 2" wide = 3 panels



STYLIST XL

Doors up to 10' 2" wide = 1 panel
Doors 10' 3" to 18' 2" wide = 2 panels



SERIES 26 RIBBED

DURABLE
PEBBLE GRAIN
STEEL FINISH



COLORS



Printed colors may not be accurate. Contact your Midland dealer for exact color samples

SPECIFICATIONS	Series 26
U-Factor R-Value	0.38*  7.0*
Foam/Insulate	T-Bond/ Plain Steel
Thickness	2 inches
Exterior Steel	26 gauge
Interior Steel	N/A
Warranty* <i>Excludes Springs</i>	Lifetime *With T-Bond

COLORS

White	•
Coffee	•
Color Select**	•

*For full warranty details contact your Midland dealer

**ColorSelect™ uses Sherwin Williams Polane® Solar Reflective Polyurethane Enamel, providing a durable, heat-repelling coating.



LOCK OPTIONS




Mini Warehouse Lock pictured above.

GLASS



*Tempered only.

WINDOWS



INSIDE LOCK

- Side bolt door latch, attached on inside
- Not visible from the outside
- Harder for an intruder to tamper with

RESIDENTIAL KEYED LOCK

- T-handle keyed lock, attached on outside
- Cylinder-shaped key that is difficult to reproduce
- Impossible to operate the handle without key


MINI WAREHOUSE LOCK

- Side bolt door latch
- Attached on outside of garage door
- Latch fits with padlock

WHY U-FACTOR MATTERS

THE KEY TO BETTER ENERGY EFFICIENCY

R-Value is not the most accurate indicator of thermal performance in a garage door. U-Factor is commonly used in energy efficiency standards and is considered a more comprehensive and accurate metric than R-Value.



PROTECT YOUR HOME FROM EXTREME WEATHER

Wind-rated doors are required by building codes across the country, and are increasingly in demand as consumers recognize the benefits and protection wind rated doors can provide to their home. Midland WindGuard doors are designed and tested to exceed building code requirements and withstand extreme wind events. Visit your local dealer for details.



	U-FACTOR	R-VALUE
Measurement	Thermal Transmittance	Thermal Resistance
Definition	Measures how much heat loss occurs	Calculates how resistant the door is to heat loss
Testing Standards	Third party testing with strict guidelines and inspection	Unregulated with no standard guidelines
Testing Area	Entire installed garage door is tested	Small section is tested and used for resistance calculation
Values	Lower U-factor means better thermal performance	Higher R-value means better thermal performance
Best Application	Complex assemblies like windows and doors	Simple elements of building assemblies like insulation
Reflects Entire Door Performance	✓	
Verified By DASMA Door & Access Systems Manufacturers Association	✓	



THERMAL PERFORMANCE VERIFICATION PROGRAM

Is a program to certify and verify the thermal performance ratings of sectional doors. Products included in this program will have a badge, label or icon.



VERIFY LOCAL BUILDING CODES

States, cities and counties have different jurisdictions with different building codes, always check with local building officials

STORM PRESSURES

Storms generate both positive and negative pressures on a garage door. Positive pressures try to push the garage door in, while negative pressures try to pull the garage door out

NON-RATED DOOR RISKS

High winds can cause un-reinforced garage doors to buckle and come out of their tracks, which can lead to a buildup of pressure that damages the roof and supporting walls


WIND RATING STANDARDS

Wind speeds are defined by the International Building Code. Wind pressures include wind speed and other factors like building height, door area, building location, risk category, and exposure category

STRUCTURAL PROTECTION


A wind rated door's purpose is to remain operable after a high wind event so occupants can escape. It also offers protection by reducing the chance of high internal wind pressures from tearing structures apart





FROM *Imagination* TO INSTALLATION

DESIGN YOUR PERFECT DOOR



Choose from an assortment of styles and features to perfectly compliment the exterior of your home. Go to midlandgaragedoor.com today to get started designing your quality door.

midlandgaragedoor.com

DESIGN NOW

