GARAGE DOORS

RESIDENTIAL PRODUCT GUIDE

QUALITY
VALUE
SERVICE

MIDLAND™
GARAGE DOOR MFG CO

NOT ALL GARAGE DOORS ARE CREATED EQUAL

WHERE IS THE PROOF?

The infrared images below show a side-by-side comparison of a Midland ThermoGuard™ door, next to a competitor's polyurethane door. This was observed with the doors installed next to the other in the same location. The outside temperature was 0°F and the inside temperature was 55°F. The dark areas show where energy loss occurs.

MIDLAND GARAGE DOOR MFG CO

THERMOGUARD™ DOOR



COMPETITOR'S POLYURETHANE DOOR



WHY DO MIDLAND THERMOGUARD™ DOORS PERFORM BETTER?

1 TRUE THERMAL BREAK

Midland door sections utilize a true thermal break that minimizes energy loss between sections

2 SUPERIOR FIT

Midland door sections have tighter and more consistent section gaps

3 STRUCTURAL RIGIDITY

Concealed full-height vertical center stiles and tailor-made custom end stiles provide structural rigidity

4 MINIMAL AIR INFILTRATION

A flexible commercial-grade seal between the door sections minimizes air infiltration

5 MOISTURE RESISTANT

Closed cell end dams help to keep moisture away from insulation

6 QUALITY STEEL

Hot dipped galvanized steel, that is conditioned and embossed with a pebble texture for maximum durability

DESIGN OPTIONS



RAISED STEEL PANEL
3



SHORT PANEL CARRIAGE
5



LONG PANEL CARRIAGE
7



RECESSED PANEL
9



RANCH PANEL
11

FLUSH PANEL
13



CLASSIC PANEL
15



STEEL OVERLAY
17



SMOOTH & V-GROOVE OVERLAY
19

CHALET
21



PINNACLE
23

FULLVIEW
25

ATHENA
27



FULLVIEW STYLIST
29

SERIES 26 RIBBED
31

RAISED STEEL PANEL

TIMELESS TRADITIONAL STYLE

RAISED STEEL PANEL, WHITE

COLORS



White, Almond, Sandtone, Tera-Bronze, Green, Gray, Coffee

Black, Light Oak**, Dark Oak**, Weathered Oak**, Rosewood, Walnut*, Ash*, Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
**Woodgrain embossing only ** Woodgrain embossing not available*

STEEL EMBOSSING



Pebble, Woodgrain

Woodgrain embossing only available in ThermoGuard™ and Series 24

SPECIFICATIONS	ThermoGuard™	ThermoSteel™	TS-138	Series 24	ValuCraft Plus
U-Factor R-Value	**0.14** 18.0	**0.22** 9.25	**0.26** 7.50	**0.38*** 7.0*	**0.38*** 7.0*
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1⅜ inches	2 inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge	25 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A	N/A
Warranty* *Excludes Springs*	Lifetime	Lifetime	25 years	Lifetime	25 years
COLORS				*With T-Bond	*With T-Bond
White	•	•	•	•	•
Almond	•		•	•	•
Sandtone	•	•	•	•	•
Tera-Bronze	•	•	•	•	•
Green	•		•		
Gray	•		•		
Coffee	•	•	•	•	•
Black	•	•	•	•	
Light Oak	•	•	•	•	
Dark Oak	•	•	•	•	
Weathered Oak	•		•		
Rosewood		•			
Walnut	•			•	
Ash	•			•	
Color Select**	•	•	•	•	•

**For full warranty details contact your Midland dealer*

GLASS

Plain, Obscure, Satin*, Gray, Bronze, Double Dark*, Low E

**Tempered only.*

WINDOWS

Short Plain, Stockton, Cascade, Waterton, Prairie

SHORT PANEL CARRIAGE

HANDCRAFTED BEAUTY & ELEGANCE

SHORT PANEL CARRIAGE, GRAY, LONG PLAIN WINDOWS

COLORS



White | Almond | Sandtone | Tera-Bronze | Green | Gray | Coffee

Black | Light Oak** | Dark Oak** | Weathered Oak** | Rosewood | Walnut* | Ash*

STEEL EMBOSSING



Pebble | Woodgrain

Color Select™

Woodgrain embossing only available in ThermoGuard™ and Series 24

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
**Woodgrain embossing only ** Woodgrain embossing not available*

SPECIFICATIONS	ThermoGuard™	ThermoSteel™	TS-138	Series 24
U-Factor R-Value	**0.14** 18.0	**0.22** 9.25	**0.26** 7.50	**0.38*** 7.0*
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1⅜ inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A
Warranty* *Excludes Springs*	Lifetime	Lifetime	25 years	Lifetime
COLORS				*With T-Bond
White	•	•	•	•
Almond	•		•	•
Sandtone	•	•	•	•
Tera-Bronze	•	•	•	•
Green	•		•	
Gray	•		•	
Coffee	•	•	•	•
Black	•	•	•	•
Light Oak	•	•	•	•
Dark Oak	•	•	•	•
Weathered Oak	•		•	
Rosewood		•		
Walnut	•			•
Ash	•			•
Color Select**	•	•	•	•

**For full warranty details contact your Midland dealer*



GLASS

Plain | Obscure

Bronze | Double Dark*

Satin* | Gray

Low E

**Tempered only.*

STEEL WINDOW GLASS ONLY

Smoked | Smoked Satin

Black Laminate | White Laminate

HARDWARE

Standard Straps | Standard Handles

WINDOWS

Long Plain | Stockton | Somerton | Stockbridge | Wyndbridge

Prairie | Fullerton (Somerton & Stockton) | Cambridge (Wyndbridge & Stockbridge)

STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor

12 | 13 | 14 | 62 | 63 | 64 | 68

**Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.*
**Not Available in TS-138.*

LONG PANEL CARRIAGE

CONTEMPORARY CHARM & STYLE



LONG PANEL CARRIAGE, ROSEWOOD

COLORS



White | Almond | Sandtone | Tera-Bronze | Green | Gray | Coffee

Black | Light Oak** | Dark Oak** | Weathered Oak** | Rosewood | Walnut* | Ash*

Color Select™

STEEL EMBOSSING



Pebble | Woodgrain

Woodgrain embossing only available in ThermoGuard™ and Series 24

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
**Woodgrain embossing only ** Woodgrain embossing not available*

SPECIFICATIONS	ThermoGuard™	ThermoSteel™	TS-138	Series 24
U-Factor R-Value	**0.14** 18.0	**0.22** 9.25	**0.26** 7.50	**0.38*** 7.0*
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1⅜ inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A
Warranty* *Excludes Springs*	Lifetime	Lifetime	25 years	Lifetime
COLORS				*With T-Bond
White	•	•	•	•
Almond	•		•	•
Sandtone	•	•	•	•
Tera-Bronze	•	•	•	•
Green	•		•	
Gray	•		•	
Coffee	•	•	•	•
Black	•	•	•	•
Light Oak	•	•	•	•
Dark Oak	•	•	•	•
Weathered Oak	•		•	
Rosewood		•		
Walnut	•			•
Ash	•			•
Color Select**	•	•	•	•

**For full warranty details contact your Midland dealer*



GLASS

Plain | Obscure

Bronze | Double Dark*

Satin* | Gray

Low E

**Tempered only.*

STEEL WINDOW GLASS ONLY

Smoked | Smoked Satin

Black Laminate | White Laminate

HARDWARE

Standard Straps | Standard Handles

WINDOWS



Long Plain | Stockton | Somerton | Stockbridge | Wyndbridge

Prairie | Fullerton (Somerton & Stockton) | Cambridge (Wyndbridge & Stockbridge)

STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor

12 | 13 | 14 | 62 | 63 | 64 | 68

**Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.*
**Not Available in TS-138.*

RECESSED LONG PANEL

BOLD & TRADITIONAL REFINEMENT

RECESSED PANEL, WHITE

COLORS



White | Almond | Sandtone | Tera-Bronze | Green | Gray | Coffee

Black | Light Oak** | Dark Oak** | Weathered Oak** | Walnut* | Ash* | Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
**Woodgrain embossing only ** Woodgrain embossing not available*

STEEL EMBOSSING



Pebble | Woodgrain

Woodgrain embossing only available in ThermoGuard™ and Series 24

SPECIFICATIONS

	ThermoGuard™
U-Factor R-Value	**0.14** 18.0
Foam/Insulate	Polyurethane
Thickness	2 inches
Exterior Steel	27 gauge
Interior Steel	27 gauge
Warranty* *Excludes Springs*	Lifetime

COLORS

White	•
Almond	•
Sandtone	•
Tera-Bronze	•
Green	•
Gray	•
Coffee	•
Black	•
Light Oak	•
Dark Oak	•
Weathered Oak	•
Walnut	•
Ash	•
Color Select**	•

**For full warranty details contact your Midland dealer.*

GLASS

Plain | Obscure | Bronze | Double Dark* | Satin* | Gray | Low E

**Tempered only.*

STEEL WINDOW GLASS ONLY

Smoked | Smoked Satin | Black Laminate | White Laminate

HARDWARE

Standard Straps

Standard Handles

WINDOWS



Long Plain | Stockton | Somerton | Stockbridge | Wyndbridge | Prairie

Fullerton (Somerton & Stockton) | Cambridge (Wyndbridge & Stockbridge)

STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor

12 | 13 | 14 | 62 | 63 | 64 | 68

**Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.*
**Not Available in TS-138.*

RANCH PANEL

SIMPLE LINES FOR A BIG STATEMENT



RANCH PANEL, DARK OAK, LONG PLAIN WINDOWS

COLORS



White | Almond | Sandtone | Tera-Bronze | Green | Gray | Coffee

Black | Light Oak** | Dark Oak** | Weathered Oak** | Rosewood | Walnut* | Ash*

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
**Woodgrain embossing only ** Woodgrain embossing not available*

STEEL EMBOSSING



Pebble | Woodgrain

Color Select™

Woodgrain embossing only available in ThermoGuard™ and Series 24

SPECIFICATIONS	ThermoGuard™	ThermoSteel™	TS-138	Series 24
U-Factor R-Value	**0.14** 18.0	**0.22** 9.25	**0.26** 7.50	**0.38*** 7.0*
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1⅜ inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A
Warranty* *Excludes Springs*	Lifetime	Lifetime	25 years	Lifetime
COLORS				*With T-Bond
White	•	•	•	•
Almond	•		•	•
Sandtone	•	•	•	•
Tera-Bronze	•	•	•	•
Green	•		•	
Gray	•		•	
Coffee	•	•	•	•
Black	•	•	•	•
Light Oak	•	•	•	•
Dark Oak	•	•	•	•
Weathered Oak	•		•	
Rosewood		•		
Walnut	•			•
Ash	•			•
Color Select**	•	•	•	•

**For full warranty details contact your Midland dealer*

GLASS

Plain | Obscure

Bronze | Double Dark*

Satin* | Gray

Low E

**Tempered only.*

STEEL WINDOW GLASS ONLY

Smoked | Smoked Satin

Black Laminate | White Laminate

HARDWARE

Standard Straps | Standard Handles

WINDOWS



Long Plain | Stockton | Somerton | Stockbridge | Wyndbridge

Prairie | Fullerton (Somerton & Stockton) | Cambridge (Wyndbridge & Stockbridge)

STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor

12 | 13 | 14 | 62 | 63 | 64 | 68

**Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.*
**Not Available in TS-138.*

FLUSH PANEL

MINIMALIST MODERN REFINEMENT

FLUSH PANEL, MAHOGANY PLANK, DOUBLE LANDSCAPE WINDOWS

COLORS

White | Almond | Sandtone | Tera-Bronze | Green | Gray | Coffee | Black



Rosewood | Cedar Plank | Oak Plank | Mahogany Plank | Carbon Oak Plank | Walnut* | Ash* | Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
**Woodgrain embossing only*

SPECIFICATIONS	ThermoGuard™	ThermoSteel™	TS-138
U-Factor R-Value	**0.14** 18.0	**0.22** 9.25	**0.26** 7.50
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene
Thickness	2 inches	2 inches	1⅜ inches
Exterior Steel	27 gauge	25 gauge	27 gauge
Interior Steel	27 gauge	26 gauge	27 gauge
Warranty* *Excludes Springs*	Lifetime	Lifetime	25 years
COLORS			
White	•	•	•
Almond	•		•
Sandtone	•	•	•
Tera-Bronze	•	•	•
Green	•		•
Gray	•		•
Coffee	•	•	•
Black	•	•	•
Cedar Planks	•		
Oak Planks	•		
Mahogany Planks	•		
Carbon Oak Planks	•		
Rosewood		•	
Walnut	•		
Ash	•		
Color Select**	•	•	•
WINDOWS			
Short Plain	•	•	•
Long Plain	•	•	•
24" x 7"	•	•	
24" x 12"	•	•	
Single Landscape	•		
Double Landscape	•		
Steel Windows	•	•	

**For full warranty details contact your Midland dealer*

STEEL EMBOSSING



Pebble | Woodgrain

Woodgrain embossing only available in ThermoGuard™ and Series 24

GLASS

Plain | Obscure | Bronze | Double Dark* | Satin* | Gray | Low E

**Tempered only.*

STEEL WINDOW GLASS ONLY

Smoked | Smoked Satin | Black Laminate | White Laminate

STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor



**Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.*
**Not Available in TS-138.*

WINDOWS



Short Plain 18" x 13" ●
Long Plain 39" x 15"
Single Landscape 41" x 7" ●
Double Landscape 41" x 7" ●
24" x 7" ●
24" x 12" ●

● *Not available in Planks*
● *Black, White & Plank frames only. Plain, Satin & Double Dark glass only*

**Contact your dealer for custom window options*

**24"x7" and 24"x12" not available in wood tone colors.*

CLASSIC PANEL

TRADITIONAL RECTANGULAR DESIGN



CLASSIC PANEL, BLACK, STOCKBRIDGE WINDOWS, STANDARD HARDWARE

COLORS



White | Almond | Sandtone | Tera-Bronze | Green | Gray | Coffee

Black | Light Oak** | Dark Oak** | Weathered Oak** | Rosewood | Walnut* | Ash*

STEEL EMBOSSING



Pebble | Woodgrain

Color Select™

Woodgrain embossing only available in ThermoGuard™ and Series 24

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
**Woodgrain embossing only ** Woodgrain embossing not available*

SPECIFICATIONS	ThermoGuard™	ThermoSteel™	TS-138	Series 24
U-Factor R-Value	**0.14** 18.0	**0.22** 9.25	**0.26** 7.50	**0.38*** 7.0*
Foam/Insulate	Polyurethane	Polystyrene	Polystyrene	T-Bond/ Plain Steel
Thickness	2 inches	2 inches	1⅜ inches	2 inches
Exterior Steel	27 gauge	25 gauge	27 gauge	24 gauge
Interior Steel	27 gauge	26 gauge	27 gauge	N/A
Warranty* *Excludes Springs*	Lifetime	Lifetime	25 years	Lifetime
COLORS				*With T-Bond
White	•	•	•	•
Almond	•		•	•
Sandtone	•	•	•	•
Tera-Bronze	•	•	•	•
Green	•		•	
Gray	•		•	
Coffee	•	•	•	•
Black	•	•	•	•
Light Oak	•	•	•	•
Dark Oak	•	•	•	•
Weathered Oak	•		•	
Rosewood		•		
Walnut	•			•
Ash	•			•
Color Select**	•	•	•	•

**For full warranty details contact your Midland dealer*



GLASS

Plain | Obscure

Bronze | Double Dark*

Satin* | Gray

Low E

**Tempered only.*

STEEL WINDOW GLASS ONLY



Smoked | Smoked Satin

Black Laminate | White Laminate

HARDWARE

Standard Straps | Standard Handles

WINDOWS



Long Plain | Stockton | Somerton | Stockbridge | Wyndbridge

Prairie | Fullerton (Somerton & Stockton) | Cambridge (Wyndbridge & Stockbridge)

STEEL WINDOWS

Steel window sections do not qualify for ColorSelect, WindGuard or U-Factor

12 | 13 | 14 | 62 | 63 | 64 | 68

**Not Available in Green, Gray, Light Oak, Dark Oak, Planks, or Woodgrain powder coating.*
**Not Available in TS-138.*

STEEL OVERLAY

POLISHED OVERLAY DESIGN



STEEL OVERLAY, BLACK, STOCKTON WINDOWS

COLORS



Printed colors may not be accurate. Contact your Midland dealer for exact color samples
*** Woodgrain embossing not available*

SPECIFICATIONS

SPECIFICATIONS	ThermoGuard™
U-Factor R-Value	**0.14** 18.0
Foam/Insulate	Polyurethane
Thickness	2 inches
Exterior Steel	27 gauge
Interior Steel	27 gauge
Warranty* *Excludes Springs*	Lifetime

COLORS

White	•
Almond	•
Sandtone	•
Tera-Bronze	•
Green	•
Gray	•
Coffee	•
Black	•
Light Oak	•
Dark Oak	•
Weathered Oak	•
Cedar Plank	•
Oak Plank	•
Mahogany Plank	•
Carbon Oak Plank	•
Walnut	•
Ash	•
Color Select**	•

**For full warranty details contact your Midland dealer*

GLASS



**Tempered only.*

OVERLAY DESIGNS



Custom designs available

HARDWARE

STEEL EMBOSSING

Woodgrain

Woodgrain embossing standard on overlay doors

WINDOWS



SMOOTH & V-GROOVE

CLASSIC LOOK OF REAL WOOD



V-GROOVE OVERLAY,BLACK, STOCKBRIDGE WINDOWS

COLORS

White | Almond | Sandtone | Tera-Bronze

Green | Gray | Coffee | Black

Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples

PANEL DESIGN



Smooth Panel

V-Groove Panel

SPECIFICATIONS

SPECIFICATIONS	ThermoGuard™
U-Factor R-Value	**0.14** 18.0
Foam/Insulate	Polyurethane
Thickness	2 inches
Exterior Steel	27 gauge
Interior Steel	27 gauge
Warranty* *Excludes Springs*	Lifetime

COLORS

White	•
Almond	•
Sandtone	•
Tera-Bronze	•
Green	•
Gray	•
Coffee	•
Black	•
Color Select**	•

**For full warranty details contact your Midland dealer*

GLASS



Plain | Obscure | Satin* | Gray

Bronze | Double Dark* | Low E

**Tempered only.*

OVERLAY DESIGNS



Custom designs available

HARDWARE

Standard Straps | Standard Handles | Adirondack Pull Rings | Adirondack Brackets

WINDOWS

Long Plain | Stockton | Somerton | Stockbridge | Wyndbridge

Fullerton (Somerton & Stockton) | Cambridge (Wyndbridge & Stockbridge)

CHALET

RUSTIC CHARM, UPSCALE PRESENCE



CHALET, WALNUT COLOR & STAIN, DESIGN 9009

COLORS

White · Almond · Sandtone · Tera-Bronze · Green · Gray · Coffee · Black



Walnut · Ash · Color Select™

• Printed colors may not be accurate. Contact your Midland dealer for exact color samples
• Woodgrain embossing only

SPECIFICATIONS	ThermoGuard™
U-Factor R-Value	**0.14** 18.0
Foam/Insulate	Polyurethane
Thickness	2 inches
Exterior Steel	27 gauge
Interior Steel	27 gauge
Warranty* *Excludes Springs*	Lifetime

COLORS

White	•
Almond	•
Sandtone	•
Tera-Bronze	•
Green	•
Gray	•
Coffee	•
Black	•
Walnut	•
Ash	•

**For full warranty details contact your Midland dealer*

WOOD STAINS



Walnut · Dark · Medium · Ash

Natural · White · Black · Weathered Gray

WOOD SPECIES



Cedar · Barnwood · Pecky

CHALET DESIGNS



9000 · 9001 · 9002 · 9003 · 9004
9005 · 9006 · 9007 · 9008 · 9009
9010 · 9011 · 9012 · 9013 · 9014

FAUX ON FAUX

- Polyurethane Faux Trim
- Polyurethane Faux Boards
- 27 Gauge Steel
- Polyurethane Hardboard
- 27 Gauge Steel Backing

FAUX ON STEEL

- Polyurethane Faux Trim
- 27 Gauge Steel
- Polyurethane Hardboard
- 27 Gauge Steel Backing

HARDWARE

Standard Straps · Standard Handles

PINNACLE

THE PEAK OF PREMIUM PANEL DESIGN

STEEL PINNACLE, SHORT PANEL, WALNUT, STEEL 63 WINDOWS, PLAIN GLASS

ALUMINUM DESIGNS



Aluminum 61 | Aluminum 11 | Aluminum 8 | Aluminum 5 | Long Panel | Short Panel

STEEL DESIGNS



Long Panel | Short Panel | Steel V-Angle | Steel X-Angle | Steel A-Angle

STEEL GROOVE OPTIONS



H-Groove 5" | V-Groove 5"

MARTIN DOOR

SPECIFICATIONS	Aluminum Pinnacle	Steel Pinnacle
U-Factor	Not Tested	Not Tested
Standard	Non-Insulated	Non-Insulated
With Insulation	Polystyrene	Polystyrene
Thickness	2 inches	2 inches
Exterior Steel	18 gauge	24 gauge
Interior Steel	28 gauge	28 gauge
Warranty* *Excludes Springs*	Lifetime	Lifetime

HARDWARE

Standard Straps | Standard Handles

**Only available in Aluminum Pinnacle*

GLASS



Plain | Obscure | Satin* | Gray | Smoked Satin | Bronze | Double Dark* | Low E | Smoked

**Tempered only.*

LAMINATE

Black Laminate | White Laminate

ALUMINUM COLORS

SOLID POWDER COAT

Jet Black | Signal White | Black Gray | Dark Brown | Desert Taupe | Telegray | Adobe Stone

PowderCoat Custom Colors

WOODGRAIN POWDER COAT



Carbon Fiber | Ebony Wood | Maple | Aspen | Gold Pecan | Dark Walnut | Cherry

STEEL COLORS

White | Almond | Sandtone | Black | Tera-Bronze | Coffee | Walnut* | Ash*

Printed colors may not be accurate. Contact your Midland dealer for exact color samples
**Woodgrain embossing only*

STEEL & ALUMINUM WINDOWS

Steel & Aluminum Window sections do not qualify for WindGuard or U-Factor



12 | 13 | 14 | 62 | 63 | 64 | 68

**Not Available in Woodgrain powder coating.*

ALUMINUM WINDOWS

Aluminum Window sections do not qualify for WindGuard or U-Factor



15 | 16 | 17 | 65 | 66 | 67

**Not Available in Woodgrain powder coating.*

FULLVIEW

SLEEK LINES OF STYLISH GLASS



FULLVIEW, DEEP BRONZE ANODIZED, PLAIN GLASS

FRAME COLORS



White | Clear Anodized | Deep Bronze Anodized | Black Anodized

Printed colors may not be accurate. Contact your Midland dealer for exact color samples

SPECIFICATIONS

U-Factor	**0.85**
Frame	6063-T Aluminum
Thickness	2 inches
Glass	½ inch insulated ¼ inch non-insulated ⅛ inch non-insulated
Panel	—
Rails	Insulated non-insulated
Air Infiltration Seal	•
Warranty* *Excludes Springs*	5 years

**For full warranty details contact your Midland dealer*

GLASS

Plain | Obscure | Bronze | Double Dark* | Satin* | Gray | Low E

**Tempered only.*



ATHENA

ELEGANT SOPHISTICATED FRAMES

ATHENA, DARK WALNUT POWDER COAT, SATIN WINDOWS

FRAME COLORS



Clear Anodized | Deep Bronze Anodized | Black Anodized

Printed colors may not be accurate. Contact your Midland dealer for exact color samples

SPECIFICATIONS	Athena Glass Panel
U-Factor	Not Tested
Frame	14 Ga. Aluminum
Thickness	2 inches
Glass	½ inch insulated ¼ inch non-insulated ⅛ inch non-insulated
Panel	—
Rails	Non-insulated Insulated
Air Infiltration Seal	·
Warranty* *Excludes Springs*	5 Years

**For full warranty details contact your Midland dealer*

GLASS



Plain | Obscure | Satin* | Gray | Smoked Satin

Bronze | Double Dark* | Low E | Smoked

**Tempered only.*

LAMINATE GLASS

Black Laminate | White Laminate

SOLID POWDER COAT

Jet Black | Signal White | Black Gray | Dark Brown | Desert Taupe | Telegray | Adobe Stone

WOODGRAIN POWDER COAT



Carbon Fiber | Ebony Wood | Maple | Aspen | Gold Pecan | Dark Walnut | Cherry





MARTIN DOOR

FULLVIEW STYLIST

DRAMATIC ULTRA-MODERN UPSCALE GLASS

FULLVIEW STYLIST, DEEP BRONZE ANODIZED, SATIN GLASS

FRAME COLORS



White | Clear Anodized | Deep Bronze Anodized | Black Anodized | Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples

SPECIFICATIONS	Stylist
U-Factor	Not Tested
Frame	6063-T Aluminum
Thickness	2 inches
Stylist XL Glass	¾ inch insulated
Stylist LT Glass	½ inch insulated ¼ inch non-insulated ⅛ inch non-insulated
Panel	—
Rails	Insulated non-insulated
Air Infiltration Seal	•
Warranty* *Excludes Springs*	5 years

**For full warranty details contact your Midland dealer*

Stylist Cross Section*

**Pictured with optional insulation*



Polystyrene insulation*

Cross linked polyethylene*

**Optional*

Air infiltration seal provides an energy efficient seal to help maintain building temperature

GLASS

Plain* | Satin Stylist

**Tempered only.*

STYLIST LITE

Doors up to 7' 2" wide = 1 panel



Doors 7' 3" to 12' 2" wide = 2 panels



Doors 12' 3" to 18' 2" wide = 3 panels



STYLIST XL

Doors up to 10' 2" wide = 1 panel



Doors 10' 3" to 18' 2" wide = 2 panels



SERIES 26 RIBBED

DURABLE PEBBLE GRAIN STEEL FINISH

COLORS

White Coffee Color Select™

Printed colors may not be accurate. Contact your Midland dealer for exact color samples

SPECIFICATIONS	Series 26
U-Factor R-Value	**0.38*** 7.0*
Foam/Insulate	T-Bond/ Plain Steel
Thickness	2 inches
Exterior Steel	26 gauge
Interior Steel	N/A
Warranty* *Excludes Springs*	Lifetime
	*With T-Bond

COLORS	
White	•
Coffee	•
Color Select**	•

**For full warranty details contact your Midland dealer*

***ColorSelect™ uses Sherwin Williams Polane® Solar Reflective Polyurethane Enamel, providing a durable, heat-repelling coating.*

GLASS

Plain Obscure Bronze Double Dark* Satin* Gray Low E

**Tempered only.*

WINDOWS



24" x 5" 24" x 12"

LOCK OPTIONS

Mini Warehouse Lock pictured above.

INSIDE LOCK
- Side bolt door latch, attached on inside
- Not visible from the outside
- Harder for an intruder to tamper with

RESIDENTIAL KEYED LOCK
- T-handle keyed lock, attached on outside
- Cylinder-shaped key that is difficult to reproduce
- Impossible to operate the handle without key

MINI WAREHOUSE LOCK
- Side bolt door latch
- Attached on outside of garage door
- Latch fits with padlock

WHY U-FACTOR MATTERS

THE KEY TO BETTER ENERGY EFFICIENCY

R-Value is not the most accurate indicator of thermal performance in a garage door. U-Factor is commonly used in energy efficiency standards and is considered a more comprehensive and accurate metric than R-Value.



	U-FACTOR	R-VALUE
Measurement	Thermal Transmittance	Thermal Resistance
Definition	Measures how much heat loss occurs	Calculates how resistant the door is to heat loss
Testing Standards	Third party testing with strict guidelines and inspection	Unregulated with no standard guidelines
Testing Area	Entire installed garage door is tested	Small section is tested and used for resistance calculation
Values	Lower U-factor means better thermal performance	Higher R-value means better thermal performance
Best Application	Complex assemblies like windows and doors	Simple elements of building assemblies like insulation
Reflects Entire Door Performance	✓	
Verified By DASMA *Door & Access Systems Manufacturers Association*	✓	

DASMA Door & Access Systems Manufacturers Association International
THERMAL PERFORMANCE VERIFICATION PROGRAM
www.dasma.com/thermal

THERMAL PERFORMANCE VERIFICATION PROGRAM

Is a program to certify and verify the thermal performance ratings of sectional doors. Products included in this program will have a badge, label or icon.

PROTECT YOUR HOME FROM EXTREME WEATHER

Wind-rated doors are required by building codes across the country, and are increasingly in demand as consumers recognize the benefits and protection wind rated doors can provide to their home. Midland WindGuard doors are designed and tested to exceed building code requirements and withstand extreme wind events. Visit your local dealer for details.

VERIFY LOCAL BUILDING CODES

States, cities and counties have different jurisdictions with different building codes, always check with local building officials

STORM PRESSURES

Storms generate both positive and negative pressures on a garage door. Positive pressures try to push the garage door in, while negative pressures try to pull the garage door out

NON-RATED DOOR RISKS

High winds can cause un-reinforced garage doors to buckle and come out of their tracks, which can lead to a buildup of pressure that damages the roof and supporting walls

WIND RATING STANDARDS

Wind speeds are defined by the International Building Code. Wind pressures include wind speed and other factors like building height, door area, building location, risk category, and exposure category

STRUCTURAL PROTECTION

A wind rated door's purpose is to remain operable after a high wind event so occupants can escape. It also offers protection by reducing the chance of high internal wind pressures from tearing structures apart

MIDLAND™ GARAGE DOOR MFG CO WindGuard™

FROM *Imagination* TO INSTALLATION

DESIGN YOUR PERFECT DOOR



Choose from an assortment of styles and features to perfectly compliment the exterior of your home. Go to midlandgaragedoor.com today to get started designing your quality door.

DESIGN NOW

midlandgaragedoor.com

© 2026 MIDLAND GARAGE DOOR MFG. CO. INC. ALL RIGHTS RESERVED 091426